

Hardware and Connectivity

UPS Topology	UPS Range / Model	RS232	USB	Network-MS	Network-M2	Modbus-MS	Relay-MS	Connect PS-BD ConnectUPS-X Slot	INDGW-M2	PXGX UPS	PXG-MS	Software for Protection		Software for Supervision
												UPS Companion	IPP	IPM Editions
												1.05	1.66	1.67
Off-Line	Eaton Ellipse ECO	X	✓	X	X	X	X	X	X	X	X	✓	X	X
	Protection Center	X	✓	X	X	X	X	X	X	X	X	✓	X	X
	Protection Station	X	✓	X	X	X	X	X	X	X	X	✓	X	X
	Eaton 3S	X	✓	X	X	X	X	X	X	X	X	✓	X	X
Line Interactive	Eaton 5E	X	✓	X	X	X	X	X	X	X	X	✓	X	X
	Eaton 5S	X	✓	X	X	X	X	X	X	X	X	✓	X	X
	Eaton Ellipse Pro	X	✓	X	X	X	X	X	X	X	X	✓	X	X
	Eaton 5SC Tower	✓	✓	X	X	X	X	X	X	X	X	X	✓	X
	Eaton 5SC Rack	✓	✓	✓	✓	X	✓	X	✓	X	X	X	✓	✓
	Eaton 5P	✓	✓	✓	✓	X	✓	X	✓	X	X	X	✓	✓
	Eaton 5PX	✓	✓	✓	✓	✓	✓	X	✓	X	X	X	✓	✓
On Line	Eaton EX (from 700 to 3kVA)	✓	✓	✓	X	✓	✓	X	X	X	X	X	✓	✓
	Eaton EX RT Mini-Slot	✓	✓	✓	X	✓	✓	X	X	X	X	X	✓	✓
	Eaton MX / MX Frame	✓	✓	✓	X	✓	✓	X	X	X	X	X	✓	✓
	Eaton 9130	✓	✓	✓	X	✓	X	✓	X	X	X	X	✓	✓
	Eaton 9E	✓	✓	✓	✓	✓	✓	X	✓	X	X	X	✓	✓
	Eaton 9PX/SX	✓	✓	✓	✓	✓	✓	X	✓	X	X	X	✓	✓
	Eaton 9PXM	✓	X	✓	✓	✓	X	X	✓	X	X	X	✓	✓
Three Phase	Blade UPS	X	X	X	X	X	X	✓	X	✓	X	X	✓	✓
	Eaton 9355/9155	X	X	X	X	X	X	✓	X	✓	X	X	✓	✓
	Eaton 93PM	X	✓*	✓	✓	X	X	X	✓	X	✓	X	✓	✓
	Eaton 91PS	X	✓*	✓	✓	X	X	X	✓	X	X	X	✓	✓
	Eaton 93PS	X	✓*	✓	✓	X	X	X	✓	X	✓	X	✓	✓
	Eaton 93E	X	✓*	✓	✓	✓	X	X	✓	X	X	X	✓	✓
	Eaton 9390	X	X	X	X	X	X	✓	X	✓	X	X	✓	✓
	Eaton Power Xpert 9395	X	X	X	X	X	X	✓	X	✓	X	X	✓	✓

✓* USB port available for upgrade only

Hardware Monitoring and Management

		Quick Scan	Supervision	Mass-Config/Upgrade	Shutdown
UPS					
Network-MS	Minislot SNMP/Web and associated Environment Sensor EMP001	✓	✓	✓	✓
Modbus-MS	Modbus/JBus and associated Environment Sensor EMP001	✓	✓	✓	✓
Network-M2	Gigabit minislot SNMP/Web with associated Environment Sensor EMPDT1H1C2	✓	✓	✗	✓
Industrial Gateway	Modbus and Gigabit minislot SNMP/Web with associated Environment Sensor EMPDT1H1C2	✓	✓	✗	✓
PXG-X UPS Card	Sensor alarms not supported with 2.3.5 F/W	✓	✓	✗	✓
PXG-MS Card	Sensor alarms not supported with 2.3.5 F/W	✓	✓	✗	✓
HPE UPS Network Module	Minislot (AF465A)	✓	✓	✗	✗
Dell Network UPS Card	H910P	✓	✓	✓	✓
IBM Network UPS Card	46M4110	✓	✓	✗	✗
IETF MIB enabled UPSs	According to RFC1628 (e.g. APC, Liebert, Emerson...) *Shutdown available with Optimize License	✗	✓	✗	✓
ePDU					
Eaton G3/ G3+ ePDU	Basic, Metered, Switched, Monitored and Managed	✓	✓	✓	NA
Eaton G2 ePDU	Advanced Monitored, Managed and Switched (Europe only)	✓	✓	✓	NA
HP Monitored PDU		✓	✓	✓	NA
HP Managed PDU		✓	✓	✓	NA
Servertch PDU	Sentry models integrated communication card	✗	✓	✗	✗
ATS					
ATS16	Network MS (JF version or better)	✓	✓	✗	NA
ATS32	InsightPower SNMP IPv6	✗	✓	✗	NA
Applications					
Computers	Hosting Eaton Intelligent Power Protector (Windows, Linux) or Network Shutdown Module v3.xx (Windows, Linux, Mac)	✓	✓	✗	✓
Storage					
NETAPP	FAS2040 Series, i.e: FAS 2040	✗	✓	✗	✓ ¹
NETGEAR	ReadyNas 2100	✗	✓	✗	✗
QNAP	TS-559	✗	✓	✗	✗
BUFFALO	LinkStation, TeraStation	✗	✓	✗	✗

✓¹ : Requires NetApp Infrastructure connector

Remark: NUT enabled devices can be supervised by the mean of the Generic Driver feature of IPSS.